TESTIDES
NORTH AMERICA'S LEADING PEPTIDE TESTING LABORATORY

Certificate of Analysis

Analytical Testing Report - Retatrutide

REPORT NUMBER
ZYAB-RETA-30-051226-02
ID: ae28738c
GENERATED
May 27, 2026

SAMPLE IDENTIFICATION			
Peptide:	**Retatrutide**	Date Requested:	**N/A**
Client:	**orders@ontariopeptidewholesale.ca**	Date Received:	**May 18, 2026**
Vendor:	**Ontario Peptide Wholesale**	Date Tested:	**May 23, 2026**
Lot Number:	**N/A**	Date Reported:	**May 25, 2026**

HPLC-UV PURITY & CONTENT ANALYSIS

Expected Content	Mass	Purity	Fill Accuracy
30.00 mg	**33.82 mg**	**99.82%**	**112.7%**




Fig. 1 - HPLC-UV Chromatogram at 214nm



Appearance	
Appearance:	**White Lyophilized Powder**
Cap Color:	**Pink**

BACTERIAL ENDOTOXIN TEST (USP <85>)

Method	Result	Specification	Verdict
Kinetic LAL (USP <85>)	< 0.125 EU/mL	<= 0.125 EU/mL	**PASS**

Interpretation: Endotoxin not detected (0.125 EU/mL) at validated 1:16 dilution (3.0 mL reconstituted vial).

This Certificate of Analysis is provided for informational and research purposes only.

Digital Verification